


Flat roof accessories

Precise and secure sealing

SCHEDETAL makes the work easier with a wide selection of pre-formed accessories for ExtruBit and ExtruPol roofing and sealing membranes. They enable the membranes to be fit precisely for a secure seal in particularly challenging areas, such as the inside and outside corners of flat roofs. And because the accessory colours match SCHEDETAL roofing and sealing membranes, you benefit from the extensive range of accessories and moulded parts with sealing that is technically sound as well as visually harmonised.



External corner

High: 100 mm/170 mm

ExtruBit: black

ExtruPol: grey, white, red, green, light grey, blue

Internal corner

High: 95 mm/170 mm

ExtruBit: black

ExtruPol: grey, white, red, green, light grey, blue



Scupper 45° / 90°

High: 65 mm

Width: 100 mm

ExtruBit: black

ExtruPol: grey, white, red, green



Roof drain - Outlet

Length: 240 mm incl. leaf guard

ExtruBit: black



Roof drain - Outlet

Length: 250 mm / 400 mm

Diameter: 70 mm / 100 mm / 125 mm

ExtruBit: black

ExtruPol: grey



Roof drain for bitumen membranes

Length: 400 mm

Diameter: 100 mm

ExtruBit: black



Connection collar for Securant lightning protection

Inside diameter: 8 mm/15 mm/35 mm

ExtruBit: black

ExtruPol: grey



Lightning conductor sleeve

Inside diameter: 10 mm/30 mm

ExtruBit: black

ExtruPol: grey



Pipe collar

High: 190 mm

Inside diameter: 40-180 mm

ExtruBit: black

ExtruPol: grey, white, red, green



Conical connection

Height: 190 mm

Inside Diameter: 15 - 40 mm

ExtruBit: black

ExtruPol: grey, white, red, green, light grey



Roof vent

Height: 225 mm/270 mm

Diameter: 75 mm/100 mm


ExtruBit: black

ExtruPol: grey, white, red, green, light grey

SCHEDETAL walkway slabs

The safe, standardised and damage-free path across flat roofs

Normally, flat roofs with ExtruPol and ExtruBit are not intended to be walked on continually (FDRL 4.7.2.2). SCHEDETAL, however, offers coloured walkway slabs to enable inspection, maintenance and repair work to take place along designated paths. Roofing membranes are thus protected against damage from tools or other contact.



Walkway slabs 525 x 525 x 4 mm

ExtruPol: red

Compatible with all ExtruBit and ExtruPol products



SCHEDETAL bonded blank 2.00 m x 1.00 m


ExtruBit: black

ExtruPol: grey, other colours on request

Other accessories

Additional items can also be ordered from the warehouse on request:

- ▼ Vapour barriers
- ▼ Fastening materials for flat roofs
- ▼ PUR membrane adhesive
- ▼ Drainage systems



Moulded parts and accessories are the perfect complement for the proven ExtruBit® and ExtruPol® roofing and sealing membranes.

 **SCHEDETAL**
The Sealing Company

Schedetal Folien GmbH
Im Schedetal 22
D-34346 Hann. Münden
Germany

Tel. +49 (0) 55 41 98 35-0
Fax +49 (0) 55 41 98 35-10

info@schedetal.com
www.schedetal.com